
LOGIC


INSTALLATION MANUAL

PUSH PULL WALL MOUNT




MODEL	SERIES	VESA	DISPLAY SIZE	MAX LOAD
LGC-7598	PUSH PULL	400x400 to	75" to 98"	265 lbs (120 kg)
	WALL MOUNT	900x600		

Checklist



IMPORTANT: Prior to installation, ensure that you have received all the parts as per the checklist

1. Product Dimension




2. Installation


Choose below method for fixing wall mount.

ATTENTION: Drilling the wall for the wall mount should be executed by a craftsperson only Exercise care to prevent any scar or damage to the wall.

CAUTION : Wear safety glasses while operating power equipment. Failure to comply may result in eye injury





1. Place the mount on the wall




2. Place the unit on the wall and make marks on the wall.

Note: While marking make sure the mount is placed in a straight line using the surface leveler






Angle adjustment details




7. Rotate the three screw slightly, and than rotate the top knob anti-clockwise for angle adjustment next rotate the bottom knob clock wise, than tighten the three screw.



8. Rotate the three screw slightly, and than rotate the top knob clockwise for angle adjustment next rotate the bottom knob anti-clockwise, than tighten the three screw.

Height adjustment details



9. Slightly loosen the below screw first and next rotate the top screw for height adjustment. (Refer allen key M-H in the checklist)

